

The **Chore Master**[®] by Mi-T-M[®]

PARTS LIST FOR CV-2000-0MTC

Engine Oil Grade:

Above 40°F=SAE 30/Below 40°F=SAE10W-30

Engine Oil Capacity:

20 oz.

Pump Oil Grade:

Mi-T-M Pump Oil #AW-4085-0016

Pump Oil Capacity:

4.5 oz.

Nozzle Size:

1.20 mm

This Parts Listing has been compiled for your benefit. You can be assured your Mi-T-M Cold Water Pressure Washer was constructed and designed with quality and performance in mind using over 25 years experience in the pressure washer business. Each component has been rigorously tested to insure the highest level of acceptance.

The contents of this Parts Listing are based on the latest product information available at the time of publication. Mi-T-M reserves the right to make changes in price, color, materials, equipment, specifications or models at any time without notice.

WARNING

THIS IS A PROFESSIONAL HIGH PRESSURE, COLD WATER PRESSURE WASHER. CAUTION SHOULD BE OBSERVED WHEN USING OR REPAIRING THIS UNIT! READ AND FOLLOW THE SAFETY WARNINGS LISTED BELOW BEFORE ATTEMPTING ANY REPAIRS ON THIS PRESSURE WASHER!

SAFETY WARNINGS

- 1. NEVER alter or modify the equipment. Be sure any accessory items and system components being used will withstand the pressure developed. Use only genuine Mi-T-M parts for repair of your pressure washer. Failure to do so can cause hazardous operating conditions and will VOID warranty.
- 2. NEVER make adjustments on machinery while the unit is connected to the power source. Turning over the machinery by hand during adjustment or cleaning might start the machinery, causing serious injury to the operator.
- 3. Know how to stop and bleed pressures quickly. Be thoroughly familiar with controls.
- 4. Before servicing the unit, turn unit off, relieve the water pressure and allow the unit to cool down. Do not make repairs while the unit is running. Service in a clean, dry, flat area.
- 5. After testing the machine, DO NOT leave the pressurized unit unattended. Shut off the unit and release trapped pressure before leaving.

Table of Contents

SPECIFICATIONS3

FRAME ASSEMBLY FOR CV-2000-0MTC4

PUMP ASSEMBLY (3-0152)6

GUN (16-0337) & LANCE (16-0338) ASSEMBLY8


NOTES 10

SPECIFICATIONS

CV-2000-OMTC


MODEL NUMBER	CV-2000-OMTC
Operating Pressure (PSI/Bar):	2000/137.8
High Pressure Nozzle:	1.20 mm
Water Volume (GPM/lpm):	2.0/7.6
Engine:	Tecumseh
Horsepower	6.0
Engine Type	4 Stroke, Side Valve, Single Cylinder
Oil Type	Above 40 F=SAE30/Below 40 F=SAE10W-30
Oil Capacity (oz./liters)	20/.6
Fuel Type	Unleaded Gasoline 86 Octane Minimum
Fuel Capacity (gallon/ liters)	.25/.95
Starting	Recoil
Maximum No Load RPM	3600 (+/- 100) RPM
Pump:	Direct Driven, Oil Bath, Triplex Axial Piston
Oil Type	Mi-T-M Pump Oil #AW-4085-0016
Oil Capacity (oz./liters)	4.5/.13
Plungers	Stainless Steel
Manifold	Aluminum
Valves	Plastic and Stainless Steel
Unloader	Fixed
Detergent Injector	Low pressure down stream from pump
Unit Net Weight (lbs/Kg)	57/26
Unit Shipping Weight (lbs/Kg)	72/33
Unit Net Dimension (cm)	19.5Lx14.5Wx19.5H/ 49.5Lx37Wx49.5H
Unit Shipping Dimension (cm)	23.5Lx14.5Wx22H/ 60Lx37Wx56.5H

FRAME ASSEMBLY FOR CV-2000-0MTC



FRAME ASSEMBLY FOR CV-2000-0MTC								
REF. #	DESCRIPTION	PART #	QTY.		REF. #	DESCRIPTION	PART #	QTY.
1	Handle	7-0116A01	1		19	Decal- Caution: Allow to Cool (E/S)	34-0599	1
2	Knob	7-0115	2		20	Decal- Technical Service Number	34-0603	1
3	Bolt	27-0017	2		21	Heat Dump Valve	22-0114	1
4	Clear Laminate	N/A	1		22	Filter	19-0001	1
5	Silver Sticker I.D.	N/A	1		23	Pump	3-0152	1
6	Cold Water Serial Number	N/A	1		24	Bolt	27-0070	3
7	Decal- Patent Number	N/A	1		25	Locknut	30-0157	3
8	Frame	5-0161A01	1		-	Key- Woodruff	43-0081	1
9	Decal- Warning: Muffler Hot (E/S)	34-0598	1		26	Key- Square	43-0085	1
10	Washer	28-0006	5		27	Engine- 6.0 H.P. Tecumseh	1-0115	1
11	Wheel	14-0051	2		28	Decal- Chore Master	34-0591	1
12	Hub Cap	33-0055	2		29	Tag- Shipped Without Oil	34-0732	1
13	Decal- Warning/Caution/Oper. (English)	34-0576	1		30	Detergent Hose *(Four Feet Required)	15-0021	1
-	Decal- Warning/Caution/Oper. (Spanish)	34-0600	1		31	Detergent Strainer	19-0050	1
14	Isolator	14-0063	2		32	Pressure Hose	15-0167	1
15	Washer	28-0021	2		33	Gun Assembly	16-0337	1
16	Screw	27-3096	2		34	Lance Assembly	16-0338	1
17	Decal- Die Cut: 2000 PSI	34-0592	1		35	Variable Nozzle Assembly 1.20mm	18-0312	1
18	Decal- American Flag	34-0521	1	*Must Order in One Foot Lengths.				


PUMP ASSEMBLY (3-0152)



3-0152-072000-RD

PUMP ASSEMBLY (3-0152)											
REF #	DESCRIPTION	PART #	QTY	REF #	DESCRIPTION	PART #	QTY	REF #	DESCRIPTION	PART #	QTY
1	Oil Seal	26-0244	1	32	Packing Retainer	46-0737	3	63	Injector Nozzle	46-0356	1
2	Snap Ring	46-0940	1	33	O-ring	25-0399	3	64	O-ring	25-0362	1
3	Bearing	48-0074	1	34	Back-up Ring	25-0422	3	65	O-ring	25-0248	2
4	Flange	38-0061	1	35	Pressure Seal	46-0744	3	66	Injector Body	46-0360	1
5	Oil Vent Assembly (Inc. 6-10)	22-0223	1	36	O-ring	25-0343	2	67	Plug (For Shipping Only)	N/A	1
6	Oil Vent (See 22-0223)	N/A Sep.	1	37	O-ring	25-0359	3	68	Bolt	27-8893	4
7	O-ring	25-0253	1	38	Valve Complete (Inc. 39-42) (See 70-0191)	N/A Sep.	6	69	U-Clip	46-0741	1
8	Oil Vent (See 22-0223)	N/A Sep.	1	39	Valve Seat (See 70-0191)	N/A Sep.	6	70	Valve Seat Plate	46-0686	1
9	O-ring (See 22-0223)	N/A Sep.	1	40	Valve Plate (See 70-0191)	N/A Sep.	6	71	Ball	46-0685	1
10	Oil Vent-Spring (See 22-0223)	N/A Sep.	1	41	Valve Spring (See 70-0191)	N/A Sep.	6	72	Unloader Seat	46-0352	1
11	Oil Sight Glass	39-0117	1	42	Valve Cage-Plastic (See 70-0191)	N/A Sep.	6	73	Backup Ring	25-0247	1
12	O-ring	25-0477	1	43	Shim	46-0745	3	74	Piston Bypass Valve (See 70-0193)	N/A Sep.	1
13	Thrust Washer	48-0056	3	44	Pump Head	46-0658	1	75	Roll Pin	46-0364	1
14	Thrust Needle Roller Bearing	48-0057	2	45	Bolt	27-8892	5	76	O-ring	25-0242	1
15	Wobble Plate	46-0943	1	46	O-ring	25-0360	3	77	Backup Ring	25-0246	1
16	Plug	39-0082	1	47	O-ring	25-0238	4	78	O-ring	25-0231	1
17	Thrust Washer	48-0064	1	48	Plug	27-8197	1	79	O-ring	25-0263	1
18	O-ring	25-0358	1	49	Pump Manifold	46-0740	1	80	Body Bypass Valve	8-0470	1
19	Pump Housing w/Heat Dump Port	46-0746	1	50	O-ring	25-0357	1	81	Washer	28-0295	1
20	Garden Hose Connection	23-0304	1	51	Bolt	27-8894	1	82	Pressure Regulating Spring - 2000 PSI	49-0131	1
21	Garden Hose Adapter	23-0305	1	52	Detergent Injector Spring (See 70-0102)	N/A Sep.	1	83	Pressure Regulating Nut	8-0471	1
22	Plug (For Shipping Only)	N/A	1	53	Detergent Injector Ball (See 70-0102)	N/A Sep.	1	84	Set Screw	27-8895	1
23	Washer	19-0001	1	54	O-ring (See 70-0102)	N/A Sep.	1	85	Detergent Hose	15-0022	1
24	Retainer	46-0663	3	55	Detergent Injector Adapter	46-0636	1	86	Filter	19-0067	1
25	Piston	46-0664	3	56	O-ring (See 70-0102)	N/A Sep.	1		Piston Assembly (Includes 24-25)	70-0190	
26	Spring	49-0129	3	57	Banjo Fitting	46-0637	1		Valve Kit (Includes 37, 38, 46)	70-0191	
27	Gasket	26-0168	1	58	O-ring	25-0341	1		Injector Repair Kit (Inc. 52-54, 56)	70-0102	
28	Plug	39-0098	1	59	Detergent Injector Hose Barb	46-0638	1		Unloader Check Valve Kit (Inc. 60-66)	70-0108	
29	Bolt	27-8404	3	60	O-ring	25-0334	1		Unloader Seat Kit (Includes 65, 70-72)	70-0192	
30	Oil Seal	26-0195	3	61	Check Valve	22-0158	1		Unloader Stem Kit (Inc. 36, 73-84)	70-0193	
31	O-ring	25-0255	3	62	Check Valve Spring	49-0130	1		Manifold Assy. (Inc. 36, 48-57, 60-84)	70-0194	

GUN (16-0337) & LANCE (16-0338) ASSEMBLY



OMGEN234A-122896-JTR

GUN (16-0337) & WAND (16-0338) ASSEMBLY								
REF. #	DESCRIPTION	PART #	QTY.		REF. #	DESCRIPTION	PART #	QTY.
1	Plastic Housing-Right Side	62-0101	1		19	Lance (See 16-0338)	N/A Sep.	1
2	U-Clip	16-0340	1		20	Nozzle Body	18-0315	1
3	Inlet Adaptor	23-0303	1		21	O-ring	25-0345	1
4	O-ring	25-0364	2		22	O-ring	25-0343	1
5	Inlet Tube	16-0339	1		23	Back-up Ring	25-0344	1
6	Plastic Housing- Left Side	62-0102	1		24	Nozzle- 1.20mm	18-0237	1
7	Screw	27-8382	6		25	Sleeve (See 18-0312)	N/A Sep.	1
8	Spring	49-0117	1		26	O-ring	25-0419	1
9	O-ring	25-0415	2		27	Pin	43-0083	1
10	Back-up Ring	25-0416	1		28	Housing (See 18-0312)	N/A Sep.	1
11	Valve (See-70-0188)	N/A Sep.	1		29	O-ring	25-0342	1
12	Back-up Ring	25-0417	1		30	Nozzle Angle Plate	18-0283	1
13	O-ring	25-0253	1		31	Nozzle Protector	18-0301	1
14	Trigger Safety Lock	62-0097	1		32	Identification Pin- 1.20mm (Yellow)	18-0286	1
15	Trigger	62-0098	1			Gun Assembly (Includes 1-17)	16-0337	
16	Wand	16-0341	1			Lance Assembly w/Bayonet (Inc. 18-19)	16-0338	
17	Spring	49-0128	1			Nozzle Assembly 1.20mm (Inc. 4, 20-32)	18-0312	
18	O-ring	25-0418	1		Gun Repair Kit (Inc. 8-13)	70-0188		

NOTES

NOTES

