

# ELECTRIC

The Chore Master® is a recognized name in the industry for quality and performance.

#### Additional Features:

- Totally enclosed fan cooled electric motor with manual reset thermal overload protection
- 35 foot power supply cord with ground fault circuit interrupter (GFCI) and 15 Amp plug
- · CSA listed
- · Triplex ceramic piston pump
- · Adjustable pressure unloader valve
- · Built-in low pressure detergent injection
- · In-line water strainer
- · Rubber isolators
- · Oil drain, fill port, and sight glass
- · Professional grade trigger gun
- 3/8 inch x 25 foot wire braided, non-marking pressure hose
- Variable high/low pressure nozzle with adjustable spray pattern (0-60 degrees)
- · One year limited warranty

Model	CM-1250-0MEH
PSI	1250
GPM	1.75
H.P.	1.5
Motor	120V 1Ø
Drive	Direct
Net Wt.	45 lbs.
Ship Wt.	52 lbs.
Unit Dim.	14"x11"x10"
LxWxH	





# VERTICAL GASOLINE SERIES

#### Additional Features:

- Honda, Briggs & Stratton Intek, Sprint, or Quantum engines
- Direct drive triplex axial piston pump
- Brass manifold
- Built-in low pressure detergent injection
- · In-line water strainer
- · Powder coated steel frame
- Removable handle (Excludes CV-1800)
- Hose wrap and quick release gun/wand holder (Excludes CV-1800)
- Semi-pneumatic tires (Excludes CV-1800)
- Rubber isolators
- Trigger gun with safety lock-off
- 30 foot pressure hose
- Variable high/low pressure nozzle with adjustable spray pattern (0-60 degrees)
- One year limited warranty

0110	our miniou warranty		07-200	O-OIVIDO
Model	CV-1800-0MBH	CV-2300-0MBC	CV-2400-1MIC	CV-2400-1MHC
PSI	1800	2300	2400	2400
GPM	1.8	2.0	2.0	2.0
H.P.	4.0	6.75	6.0	5.5
Engine	Sprint	Quantum	Briggs Intek I/C	Honda OHC
Drive	Direct	Direct	Direct	Direct
Net Wt.	46 lbs.	63 lbs.	61 lbs.	66 lbs.
Ship Wt.	61 lbs.	74 lbs.	72 lbs.	77 lbs.
Unit Dim.	13.5"x 13.5"x 21"	19.5"x14.5"x19.5	5" 26"x17"x23.7"	26"x17"x23.7"







Additional Features:

 Honda, Briggs Intek, or Subaru engines with low oil protection

WP-2403-3MRB

- · Direct drive triplex axial piston pump
- Brass & stainless steel unloader
- Thermal relief valve pump protection
- · Adjustable pressure
- Built-in low pressure detergent injection
- In-line water strainer
- · Powder coated steel base plate
- Solid steel axle
- Pneumatic tires
- · Hose wrap and quick release gun/wand holder
- · Rubber isolators
- Professional grade insulated trigger gun with safety lock-off
- 36-inch lance
- 3/8 inch x 25 foot wire braided non-marking pressure hose
- Quick connect nozzles
   (15 degrees, 25 degrees, detergent)
- · One year limited warranty

Model	WP-2400-3MHB	WP-2400-3MBB	WP-2403-3MRB	WP-2403-3MHB	WP-2700-3MHB	WP-2700-3MBB
PSI	2400	2400	2400	2400	2700	2700
GPM	2.3	2.3	2.3	2.3	2.3	2.4
H.P.	5.0	6.0	6.0	5.5	6.0 H.P.	6.5
Engine	Honda OHC	Intek OHV	Subaru OHC/OHV	Honda OHV	Honda OHC	Intek OHV
Drive	Direct	Direct	Direct	Direct	Direct	Direct
Net Wt.	80 lbs.	80 lbs.	80 lbs.	80 lbs.	85 lbs.	85 lbs.
Ship Wt.	100 lbs.	100 lbs.	100 lbs.	100 lbs.	105 lbs.	105 lbs.
Unit Dim.	30"x21"x26"	30"x21"x26"	30"x21"x26"	30"x21"x26"	30"x21"x26"	30"x21"x26"

Model	WP-2703-3MRB	WP-2703-3MHB	WP-3003-0MRB	WP-3003-0MHB	WP-3003-0MVB
PSI	2700	2700	3000	3000	3000
GPM	2.4	2.4	3.0	3.0	3.0
H.P.	7.0	6.5	9.0	9.0	9.0
Engine	Subaru OHC/OHV	Honda OHV	Subaru OHC/OHV	Honda OHV	Vanguard OHV
Drive	Direct	Direct	Direct	Direct	Direct
Net Wt.	85 lbs.	85 lbs.	121 lbs.	121 lbs.	121 lbs.
Ship Wt.	105 lbs.	105 lbs.	171 lbs.	171 lbs.	171 lbs.
Unit Dim.	30"x21"x26"	30"x21"x26"	35"x22.5"x26"	35"x22.5"x26"	35"x22.5"x26"

WORK PRO™ gasoline pressure washer is designed with many quality features found in the Mi-T-M industrial product line.

Mi-T-M offers an entire line of optional accessories to make cleaning jobs quick and easy. Call (563) 556-7484 or (800) 228-6172.



#### **DETERGENTS**

Mi-T-M offers the most versatile and efficient detergents on the market today. Made specifically to meet your every application. From heavy industrial grease to mold and mildew, Mi-T-M has the detergent for you.

Model	Description	Size	Per Case
AW-4018-0026	All Purpose Cleaner	1 Gallon	4 Gallons
AW-4034-0026	House & Deck Wash	1 Gallon	4 Gallons
AW-4059-0026	Heavy Duty Cleaner	1 Gallon	4 Gallons

## **PUMP OIL**

Mi-T-M's pump oil offers trouble-free performance with no lubricant related failures. Our pump oil is specially designed for pressure washer pumps. It will keep pumps cooler than regular oil and is suitable for all climates.

Model	Description	Size	Per Case
AW-4085-0016	Mi-T-M Pump Oil	1 Pint	6 or 12 Pints

#### **EXTENSION HOSES**

When you need extra length and mobility.

Model	Description	Fits
50-0095	23-foot Steel Braided, 5/16 in.	CV-1800
50-0176	23-foot Steel Braided, 5/16 in.	CV-2300 & CV-2400
851-0007	50-foot High Pressure Hose, 3/8 in.	Work Pro's to 3000

## **EXTENSION WANDS**

When you have hard to reach high places.

Model	Description	Fits
AW-7015-1200	12-foot Extension Wand	Work Pro's to 3000
AW-7015-1800	18-foot Extension Wand	Work Pro's to 3000

#### **ROTATING NOZZLES**

Rotating nozzles increase your cleaning power and decrease your cleaning time. They offer 0° spray impact with 25° coverage.

Model	Description	Orifice Size	Fits
AW-0018-0364	Rotating Nozzle		CV Series
AW-7300-0003	Rotating Nozzle	3.0	3000 PSI Rated
AW-7300-0035	Rotating Nozzle	3.5	3000 PSI Rated



PRESSURE WASHERS
AIR COMPRESSORS
WATER TREATMENT SYSTEMS
INDUSTRIAL WET/DRY VACUUMS
AQUEOUS PARTS WASHERS
JOB SITE TOOL BOXES

8650 Enterprise Drive · Peosta, IA 52068 (800) 228-6172 · FAX (563) 556-1235

E-mail: corp@mitm.com
www.mitm.com

In a continued commitment to improve quality, Mi-T-M reserves the right to make component or design changes when necessary. Distributed by:

©Copyright 2005, Mi-T-M® Corporation

01/01/05